

Synthetic biology: Engineering new functions, cells, and even life?

**BCH394P/364C Systems Biology / Bioinformatics
Edward Marcotte, Univ of Texas at Austin**

1

Synthetic Biology = design and engineering of biological systems that aren't found in nature



Why would we want to do this?

- Want to understand natural systems. One of the best ways to understand a system is to change it or make new, related ones
- To fully “understand” a system, we should be able to predict the outcome when we change the system
- For molecular biology, this means:
 - designing new gene circuits and networks
 - modeling the designed systems & predicting their properties
 - making & testing the designs
 - updating our understanding from the model/test agreement

2

The Repressilator = engineered genetic circuit designed to make bacteria glow in a oscillatory fashion = “repressor” + “oscillator”

Transcriptional repressors ↘




Elowitz & Leibler, *Nature* (2000) 403:335-8

3

The Repressilator = engineered genetic circuit designed to make bacteria glow in a oscillatory fashion

Repressilator


Reporter



Elowitz & Leibler, *Nature* (2000) 403:335-8

4

The repressilator in action...



5

iGEM: A synthetic biology contest

Can simple biological systems be built from standard, interchangeable parts and operated in living cells?


Or is biology too complicated to be engineered in this way?

Broader goals include:


- Enable systematic engineering of biology
- Promote open & transparent development of tools for engineering biology
- Help construct a society that can productively apply biological technology

(from iGEM's web site)

6





7



8


How does edge detection work in principle?

A computer might visit each pixel in turn, and check to see if it is bordered by both black & white pixels. If yes, highlight the pixel.




9

Bacterial photography



Levskaya *et al.* *Nature*, 438(7067):441-2 (2005)

10




Mask

Hello
World

Cph1/EnvZ



Hello
World



"Light cannon" developed by Aaron Chevalier,
UT undergraduate

Levskaya *et al. Nature*, 438(7067):441-2 (2005)

11

The first bacterial photograph (coliroid?)...



Levskaya *et al. Nature*, 438(7067):441-2 (2005)

12

*Escherichia
darwinia*





Image: Aaron Chevalier

13

On to the edge detector...



14

It works!


Projected Mask



Photo strain




Edge detector strain



Tabor *et al.*, *Cell* 137(7):1272-1281 (2009)


15



Tabor *et al.*, *Cell* 137(7):1272-1281 (2009)

16

One major success of synthetic biology is engineering artemisinin acid production from wormwood into yeast:



17

Some other recent successes in this field:



SYNTHETIC BIOLOGY

Complete biosynthesis of opioids in yeast

Stephanie Galanie,¹ Kate Thodey,² Isis J. Trenchard,² Maria Flisinger Interrante,² Christina D. Smolke^{1*}

New opiate factory

To engineer yeast to make opiates, researchers outfitted the microbes' chromosomes with genes from a rat (blue), a bacterium (orange), and several plants (green), including three forms of poppies.




Galanie et al. (2015) *Science* 349:1095-100

18

Xiaozhou Luo^{1,5}, Michael A. Reiter^{1,2,5}, Leo d'Espaux^{1,2}, Jeff Wong^{3,12}, Charles M. Denby^{3,12}, Anna Lechner^{4,5,14}, Yunfeng Zhang^{1,6}, Adrian T. Grzybowski¹, Simon Harth¹, Weiyin Lin¹, Hyunsu Lee^{3,7}, Changhua Yu^{5,8}, John Shin^{3,4}, Kai Deng^{6,9}, Veronica T. Benites¹, George Wang¹, Edward E. K. Bakdoo¹, Yan Chen¹, Ishaan Dev¹⁴, Christopher J. Petzold³ & Jay D. Keasling^{1,3,4,5,10,11}

Xiaozhou Luo^{1,15}, Michael A. Reiter^{2,15}, Leo D'Espaux^{3,12}, Jeff Wong^{3,12}, Charles M. Denby^{2,13}, Anna Lechner^{4,5,14}, Yunfeng Zhang^{1,6}, Adrian T. Grzybowski¹, Simon Harth³, Welyin Lin³, Hyunsu Lee^{3,7}, Changhua Yu^{3,5}, John Shin^{3,4}, Kai Deng^{8,9}, Veronica T. Benites³, George Wang³, Edward E. K. Baidoo³, Yan Chen³, Ishaan Dev^{3,4}, Christopher J. Petzold³ & Jay D. Keasling^{1,3,4,5,10,11*}



Who needs nature?
Made-to-order, designer organisms

- 100% sequence accuracy guaranteed
- Fastest turnaround: as few as **4 business days**
- lowest price: starting at **\$0.23/bp**


**Therefore, we can program whatever changes we want,
assuming we can get it into cells...**

10

Creation of a Bacterial Cell Controlled by a Chemically Synthesized Genome

Daniel G. Gibson,¹ John I. Glass,¹ Carole Lartigue,¹ Vladimir N. Noskov,¹ Ray-Yuan Chuang,¹ Mikkel A. Algire,¹ Gwynedd A. Benders,² Michael G. Montague,¹ Li Ma,¹ Monzia M. Moodie,¹ Chuck Merryman,¹ Sanjay Vashee,¹ Radha Krishnakumar,¹ Nacyra Assad-Garcia,¹ Cynthia Andrews-Pfannkoch,¹ Evgeniya A. Denisova,¹ Lei Young,¹ Zhi-Qing Qi,¹ Thomas H. Segall-Shapiro,¹ Christopher H. Calvey,¹ Prashanth P. Parmar,¹ Clyde A. Hutchison III,² Hamilton O. Smith,² J. Craig Venter^{1,2*}


“We report the design, synthesis, and assembly of the 1.08–mega–base pair *Mycoplasma mycoides* JCVI-syn1.0 genome starting from digitized genome sequence information and its transplantation into a *M. capricolum* recipient cell to create new *M. mycoides* cells that are controlled only by the synthetic chromosome.”



2 JULY 2010 VOL 329 SCIENCE

21


“Rebooting” bacteria with synthetic genomes



2 JULY 2010 VOL 329 SCIENCE

22

“The only DNA in the cells is the designed synthetic DNA sequence, including “watermark” sequences and other designed gene deletions and polymorphisms, and mutations acquired during the building process. The new cells have expected phenotypic properties and are capable of continuous self-replication.”



PCR of 4 engineered “watermarks”

2 JULY 2010 VOL 329 SCIENCE

23

But, wait! They only changed DNA, not the rest of the cell!

However...

In biology, software encodes the hardware.

Most (all?) of the cell is specified by the DNA.

It's as though you bought a old Blackberry...



installed the Android operating system...

& your phone physically morphed
into a Galaxy S10...



24

Some good quotes from the paper:



“If the methods described here can be generalized, design, synthesis, assembly, and transplantation of synthetic chromosomes will no longer be a barrier to the progress of synthetic biology.”

“We expect that the cost of DNA synthesis will follow what has happened with DNA sequencing and continue to exponentially decrease. Lower synthesis costs combined with automation will enable broad applications for synthetic genomics.”

“As synthetic genomic applications expand, we anticipate that this work will continue to raise philosophical issues that have broad societal and ethical implications.”


25

In 2016, Hutchison, Chuang, *et al.* reported making living mycoplasma after cutting the genome by ½ the genes



Four design-build-test cycles produced JCVI-syn3.0.


(A) The cycle for genome design, building by means of synthesis and cloning in yeast, and testing for viability by means of genome transplantation. After each cycle, gene essentiality is reevaluated by global transposon mutagenesis. (B) Comparison of JCVI-syn1.0 (outer blue circle) with JCVI-syn3.0 (inner red circle), showing the division of each into eight segments. The red bars inside the outer circle indicate regions that are retained in JCVI-syn3.0. (C) A cluster of JCVI-syn3.0 cells, showing spherical structures of varying sizes (scale bar, 200 nm).



Science 25 MARCH 2016 • VOL. 351 ISSUE 6280


26

JCVI-syn3.0 now makes for a remarkably compact, engineerable, free living cell “chassis” to study




27

...which now has a rich metabolic reconstruction...



28


...and highly defined composition, to the extent one can write its biomass reaction equation:



Breuer et al., eLife 2019;8:e36842 DOI: 10.7554/ELIFE.36842

29

In parallel, methods were developed to edit genomes at many locations in parallel, e.g. reassigning all amber (TAG) stop codons in *E. coli* to ochre (TAA)



Genomically Recoded Organisms Expand Biological Functions

Marc J. Lajoie,^{1,2} Alexis J. Rovner,^{3,4} Daniel B. Goodman,^{1,5} Hans-Rudolf Aerni,^{4,6} Adrian D. Haimovich,^{3,4} Gleb Kuznetsov,¹ Jaron A. Mercer,⁷ Harris H. Wang,⁸ Peter A. Carr,⁹ Joshua A. Mosberg,^{1,5} Nadin Rohland,⁷ Peter G. Schultz,¹⁰ Joseph M. Jacobson,^{11,12} Jesse Rinehart,^{1,6} George M. Church,^{1,13} Farren J. Isaacs^{1,6}

SCIENCE VOL 342 18 OCTOBER 2013

http://isaacs.commons.yale.edu/files/2013/07/rE.coli_Fig3.png

30

& now, “rebooting” yeast with synthetic chromosomes

Turns out
chromosomes can be
synthesized and
replaced for yeast too...

Synthetic Yeast 2.0

Building the world's first synthetic eukaryotic genome together

Search



Synthetic Yeast Genome, Sc2.0 2012

合成酵母基因组第一次国际会议

April 16, 2012, Beijing



& China is pushing
for a completely
synthetic yeast
genome...


31

In 2017, the Synthetic Yeast Genome Project (Sc2.0) reported on five newly constructed synthetic yeast chromosomes:



How the cover was made: <http://science.sciencemag.org/content/355/6329/eaan1126>

32



33

Table 1. Design challenges and policies adopted. CDS, gene coding sequence; snoRNA, small nucleolar RNA.	
Design challenge or amendment	Policy adopted by design team
Subtelomeric repeats of varying copy number on multiple chromosomes	Delete and monitor for phenotypes as chromosomes are combined. Exception: vitamin biosynthesis genes retain one copy.
Dispersed repeated genes of high copy number, as well as high-copy COS and seripauperin genes	Delete and monitor for phenotypes as chromosomes are combined.
loxPsym sites <300 bp apart when inserted algorithmically (not especially useful and more difficult to synthesize)	loxPsym thinning to eliminate the loxPsym site closer to the centromere.
Stop codon overlaps a second CDS; insertion of loxPsym site would disrupt second CDS; also TAG recoding to TAA could disrupt CDS	Favor preservation of “verified ORFs” over “dubious ORFs” and “uncharacterized ORFs”; always add loxPsym site to a verified ORF in this case
Tandem repeats inside CDSs (34)	Use GeneDesign’s RepeatSmasher module to recode such genes to minimize DNA level repetitiveness, making DNA easier to synthesize and assemble.
Homopolymer tracts, including frequent A and T tracts, are difficult to synthesize	In synthesis phase, permit 10% length variation for homopolymer tracts >10 bp provided they are in a noncoding region.
Introns	Delete pre-mRNA introns precisely, except from genes with evidence of a fitness defect caused by intron deletion (35, 36). The HAC1 intron, which uses separate splicing machinery and is known to play a critical role in regulation of the unfolded protein response, was not deleted (9). Delete all tRNA introns precisely.
Intronicly embedded snoRNAs	These are individually nonessential and were deleted with their host introns. They could be “refactored” by insertion into the array of snoRNAs on chr II.


34

Table 3. Summary statistics for design of Sc2.0. WT, wild type; SYN, synthetic.

	WT size	SYN size	No. of stop codon swaps	No. of loxP sites added	bp of PCRTag recoded	bp of RE sites recoded	No. of tRNA deleted	bp of tRNA deleted	bp of repeats deleted
chr01	230208	181030	19	62	3535	210	4	372	3987
chr02	813184	770035	93	271	13651	1215	13	993	7030
chr03	316617	272195	44	100	5272	250	10	794	7358
chr04	1531933	1454671	183	479	25398	2298	28	2261	11674
chr05	576874	536024	61	174	8760	813	20	1471	11181
chr06	270148	242745	30	69	4553	369	10	835	9297
chr07	1090940	1028952	126	380	17910	1572	36	2887	13284
chr08	562643	506705	61	186	9980	714	11	878	19019
chr09	439885	405513	54	142	7943	436	10	736	11632
chr10	745751	707459	85	249	12582	1102	24	1853	7523
chr11	666816	659617	68	199	11769	1017	15	1243	4214
chr12	1078177	999406	122	291	15129	1539	19	1646	10843
chr13	924431	883749	100	337	15911	0	21	1691	7673
chr14	784333	753096	96	260	13329	1113	14	1152	5115
chr15	1091291	1048343	147	399	18015	2058	20	1612	9542
chr16	948066	902994	127	334	15493	1374	17	1338	10048
Total	12071297	11352534	1416	3932	199230	16080	272	21762	149420

35


Synthesis, cyclization, and characterization of synV



Ze-Xiong Xie et al. *Science* 2017;355:eaaf4704

36

Inevitably (!), the human synthetic genome project:




GP-write

A Grand Challenge Project
to Build and Test New
Genomes

“What I cannot create,
I do not understand”
Richard Feynman

While the sequence of the human genome has been known for nearly 20 years, many mysteries in life's recipe book remain to be solved. That's why one group of researchers as well as ethicists and communicators is proposing to move **from passively reading genomes to actively writing them.**

**First major project:
Recoding human codons
(~200K edits?) to create
virus-resistant cells**



How genome synthesis could lead to safer drugs

The **Genome Project – write** (GP-write) organizers just announced their first project – **Ultra-Safe Cells** that may resist viruses, and maybe even radiation, freezing, aging and cancer.

https://en.wikipedia.org/wiki/Genome_Project-Write
<https://engineeringbiologycenter.org/>

37

**Let's end the lectures on a fun note,
with some speculative near-future
synthetic biology experiments**



**Science fiction? or not?
You be the judge!**

38

“De-extincting” extinct species



Remember Dolly,
the cloned sheep?

What if the cells being cloned came
from an extinct animal and were put
into a surrogate mother?
Would that resurrect the species?

This was tried in
2009 for the
Pyrenean ibex, and
almost worked...



Cloned goat dies after attempt to bring species
back from extinction
Groundbreaking experiment fails, but scientists pave way for 'return'
of other creatures

39

But now there's another way!

- We can sequence a genome in a few days for a few \$K
- We can synthesize or alter big pieces of the DNA
- We can (almost) “reboot” cells with this DNA
- We can convert cells to stem cells to embryos
- We can *in vitro* fertilize animals

So why not just “edit”
the genomes of the
closest living animals to
be like their extinct
relatives?




Sound familiar?

<http://jurassicpark.wikia.com>

40


Besides the genome engineering, this hinges on iPS:

From embryonic stem cells, we can grow an entire organism or any cells/tissues in it



Shinya Yamanaka
Nobel Prize, 2012

& thanks to Yamanaka, we can convert skin cells back into stem cells



www.regenexx.com

41

There's a serious proposal to resurrect the woolly mammoth. Here's the process:

- ✓ Mammoth genome sequence
- Make ~100K DNA changes in elephant skin cells to convert elephant skin cells → mammoth skin cells
- ✓ Convert skin cells to stem cells
- ✓ Convert stem cells to embryos
- *In vitro* fertilize elephants



This might be a hard step.



www.interestingtrips.net

42

ANIMALS

WOOLLY MAMMOTH DNA SUCCESSFULLY SPLICED INTO ELEPHANT CELLS

BUT DON'T EXPECT MAMMOTH CLONES ANYTIME SOON

By Sarah Fecht · Posted March 24, 2015

f

t

e

+

347 Shares



Woolly Mammoth Museum

A group of researchers are p

Using a DNA editing tool called CRISPR, the scientists spliced genes for the mammoths' small ears, subcutaneous fat, and hair length and color into the DNA of elephant skin cells. The tissue cultures represent the first time woolly mammoth genes have been functional since the species went extinct around 4,000 years ago.

The research has not yet been peer-reviewed or published in a scientific journal "because there is more work to do," Church told the U.K.'s *Sunday Times*, "but we plan to do so."

<http://www.popsci.com/woolly-mammoth-dna-brought-life-elephant-cells>

43

In fact, they're hiring!

Woolly Mammoth Revival Fellowship Announcement

Description of the Opportunity

Revive & Restore is pleased to announce a post-doctoral fellowship opportunity for well-qualified individuals interested in a full-time appointment researching the science underlying Woolly Mammoth de-extinction in the laboratory of Dr. George Church at Harvard Medical School. This fellowship is fully supported by Revive & Restore, the leading non-profit organization working to bring biotechnologies to wildlife conservation. The fellowship will

...

The Woolly Mammoth has emerged as a leading candidate for this work. It can be attempted because a close relative of the mammoth is still living—the Asian elephant. Thanks to the similarity of their genomes, the genes of woolly mammoth traits can be edited into the Asian elephant genome, and the combination brought to life as an elephant cousin, once again adapted to the conditions of the far north.

The ultimate goal of Woolly Mammoth Revival is to bring back this extinct species so that healthy herds may one-day re-populate vast tracts of tundra and boreal forest in Eurasia and North America. The intent is not to make perfect copies of extinct Woolly Mammoths, but to focus on the mammoth adaptations needed for Asian elephants to thrive in the cold climate of the Arctic. The milestones along the way range from developing elephant tissue cultures to genome editing and most importantly, developing insights that help with Asian elephant conservation.

<https://genetics.hms.harvard.edu/about-us/departamental-employment-opportunities>

44

Although the race is on as other groups try to resurrect frozen mammoth cells:

SCIENTIFIC REPORTS

OPEN

Signs of biological activities of 28,000-year-old mammoth nuclei in mouse oocytes visualized by live-cell imaging

Received: 12 October 2018
Accepted: 19 February 2019
Published online: 11 March 2019

Kazuo Yamagata¹, Kouhei Nagai¹, Hiroshi Miyamoto¹, Masayuki Anzai², Hiromi Kato², Kei Miyamoto¹, Satoshi Kurosaka², Rika Azuma¹, Igor I. Kolodeznikov³, Albert V. Protopopov³, Valerii V. Plotnikov³, Hisato Kobayashi⁴, Ryouka Kawahara-Miki⁴, Tomohiro Kono^{4,5}, Masao Uchida⁶, Yasuyuki Shibata⁶, Tetsuya Handa⁷, Hiroshi Kimura⁷, Yoshihiko Hosoi¹, Tasuku Mitani¹, Kazuya Matsumoto¹ & Akira Iritani²

45


Which animal would you resurrect?

The dodo?




© 2010 Encyclopædia Britannica, Inc.

The quagga?



wikipedia



techandle.com

Saber-toothed tiger?

In principle, only need the DNA sequence (so, no dinosaurs)

Aurochs?



46

I vote for some crazy Australasian animals:


The 12'
tall
moa




The moa-eating
Haast's eagle




Actual
scale!



& of, course, the
marsupial
Tasmanian tiger



>90° !!!



47

What about neanderthal? It's achievable. But should we do it?

- ✓ Human and neanderthal genome sequence
- Edit DNA in human skin cells to convert
convert human skin cells → neanderthal skin cells
→ I give this step 10 years max before we can do this
- ✓ Convert skin cells to stem cells
- ✓ Convert stem cells to embryos
- ✓ *In vitro* fertilize
a surrogate mother

Svante
Pääbo



**So many ethical questions!
Where to start?**



48